



FORM PTO-1449

U.S. Dept. of Commerce
Patent and Trademark OfficeAtty Docket No.
P1857R1P1Serial No.
10/771,254

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant
Flores et al.Filing Date
03 Feb 2004Group
1645

U.S. PATENT DOCUMENTS

Examiner Initials		Document Number	Date	Name	Class	Subclass	Filing Date
CMW	* 1	5,763,223	09.06.98	Wiley et al.			
	* 2	6,030,945	29.02.00	Ashkenazi, A.			
	* 3	6,284,236	04.09.01	Wiley, et al.			
	* 4	6,541,606	01.04.03	Margolin et al.			

FOREIGN PATENT DOCUMENTS

Examiner Initials		Document Number	Date	Country	Class	Subclass	Translation Yes	No
CMW	5	417,563	20.03.91	EP				X
	6	870,827	14.10.98	EP				
	7	US 00/15512	14.12.00	PCT (EQUIVALENT TO WO 00/75191)				
	8	US 00/17579	04.01.01	PCT (EQUIVALENT TO WO 01/00832)				
	9	US 01/23691	07.02.02	PCT (EQUIVALENT TO WO 02/09755)				
	10	US 99/01039	22.07.99	PCT (EQUIVALENT TO WO 99/36535)				
	11	US 99/06673	26.03.99	PCT (EQUIVALENT TO WO 99/48527)				
	12	WO 01/00832	04.01.01	PCT				
	13	WO 97/01633	16.01.97	PCT				
	14	WO 97/25428	17.07.97	PCT				
	15	WO 98/18921	07.05.98	PCT				
	16	WO 98/28426	02.07.98	PCT				
	17	WO 98/32856	30.07.98	PCT				
	18	WO 98/35986	20.08.98	PCT				
	19	WO 98/41629	24.09.98	PCT				
	20	WO 98/46643	22.10.98	PCT				
	21	WO 98/46751	22.10.98	PCT				
	22	WO 98/51793	19.11.98	PCT				
	23	WO 99/02653	21.01.99	PCT				
	24	WO 99/09165	25.02.99	PCT				
	25	WO 99/11791	11.03.99	PCT				

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

CMW	26	Armitage et al., "Molecular and Biological Characterization of a Murine Ligand for CD40." <u>Nature</u> , 357(6373):80-82 (1992)
CMW	27	Ashkenazi et al., "Safety and antitumor activity of recombinant soluble Apo2 ligand" <u>Journal of Clinical Investigation</u> 104(2):155-162 (1999)
CMW	28	Banner et al., "Crystal Structure of the Soluble Human 55 kd TNF Receptor-Human TNF β Complex: Implications for TNF Receptor Activation" <u>Cell</u> 73:431-445 (1993)
CMW	29	Bodmer et al., "Cysteine 230 Is Essential for the Structure and Activity of the Cytotoxic Ligand TRAIL" <u>Journal of Biological Chemistry</u> 275:20632-20637 (2000)

Examiner
/Cherie Woodward/Date Considered
12/20/2006

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

U.S. Dept. of Commerce
Patent and Trademark Office

Atty Docket No.

P1857R1P1

Serial No.

10/771,254

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant

Flores et al.

Filing Date

03 Feb 2004

Group

1645

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

CMW	30	Brockhaus et al., "Identification of Two Types of Tumor Necrosis Factor Receptors on Human Cell Lines by Monoclonal Antibodies." <u>Proc. Natl. Acad. Sci. USA</u> 87:3127-3131 (1990)
	31	Browning et al., "Lymphotoxin β , a Novel Member of the TNF Family That Forms a Heteromeric Complex with Lymphotoxin on the Cell Surface" <u>Cell</u> 72:847-856 (1993)
	32	Chicheportiche et al., "TWEAK, A New Secreted Ligand in the Tumor Necrosis Factor Family that Weakly Induces Apoptosis." <u>Journal of Biological Chemistry</u> 272(51):32401-32410 (1997)
	33	Chinnaiyan et al., "Combined effect of tumor necrosis factor-related apoptosis-inducing ligand and ionizing radiation in breast cancer therapy" <u>Proc. Natl. Acad. Sci.</u> 97:1754-1759 (2000)
	34	Darby and Creighton, "Disulfide Bonds in Protein Folding and Stability" <u>Methods in Enzymology</u> , B.A. Shirley, Totowa, NJ:Human Press Inc, Chapter 10, Vol. 40:219-252 (1995)
	35	Dealtry et al., "DNA Fragmentation and Cytotoxicity Caused by Tumor Necrosis Factor is Enhanced by Interferon- γ " <u>European Journal of Immunology</u> 17:689-693 (1987)
	36	Degli-Esposti et al., "Cloning and Characterization of TRAIL-R3, a Novel Member of the Emerging TRAIL Receptor Family" <u>Journal of Experimental Medicine</u> 186(7):1165-1170 (1997)
	37	Degli-Esposti et al., "The Novel Receptor TRAIL-R4 Induces NF- κ B and Protects against TRAIL-Mediated Apoptosis, yet Retains an Incomplete Death Domain" <u>Immunity</u> 7:813-820 (1997)
	38	Gazitt, Y., "TRAIL is a potent inducer of apoptosis in myeloma cells derived from multiple myeloma patients and is not cytotoxic to hematopoietic stem cells" <u>Leukemia</u> 13:1817-1824 (1999)
	39	Gliniak and Le, "Tumor Necrosis Factor-related Apoptosis-inducing Ligand's Antitumor Activity in Vivo Is Enhanced by the Chemotherapeutic Agent CPT-11" <u>Cancer Research</u> 59:6153-6158 (1999)
	40	Goodwin et al., "Molecular Cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor." <u>Mol. Cell. Bio.</u> 11:3020-3026 (1991)
	41	Griffith et al., "Monocyte-mediated Tumoricidal Activity via the Tumor Necrosis Factor-related Cytokine, TRAIL" <u>Journal of Experimental Medicine</u> 189:1343-1353 (1999)
	42	Gruss and Dower, "Tumor Necrosis Factor Ligand Superfamily: Involvement in the Pathology of Malignant Lymphomas" <u>Blood</u> 85:3378-3404 (1995)
	43	Hahne et al., "APRIL, A New Ligand of the Tumor Necrosis Factor Family, Stimulates Tumor Cell Growth." <u>Journal of Experimental Medicine</u> 188(6):1185-1190 (1998)
	44	Hale et al., "Demonstration of In Vitro and In Vivo Efficacy of Two Biologically Active Human Soluble TNF Receptors Expressed in E. coli." <u>J. Cell. Biochem.</u> (abstract only, suppl. 15F; P 424) pps. 113 (1991)
	45	Hohman et al., "Two Different Cell Types Have Different Major Receptors for Human Tumor Necrosis Factor (TNF α)" <u>Journal of Biological Chemistry</u> 264:14927-14934 (1989)
	46	Hymowitz et al., "A unique zinc-binding site revealed by the high-resolution X-ray structure of homotrimeric Apo2L/TRAIL" <u>Biochemistry</u> 39(4):633-640 (2000)
	47	Hymowitz et al., "Triggering Cell Death: The Crystal Structure of Apo2L/TRAIL in a Complex with Death Receptor 5." <u>Molecular Cell</u> 4(4):563-571 (1999)
	48	Itoh et al., "The Polypeptide Encoded by the cDNA for Human Cell Surface Antigen Fas Can Mediate Apoptosis." <u>Cell</u> 66:233-243 (1991)
✓	49	Jeremias et al., "TRAIL/Apo-2-ligand-induced apoptosis in human T cells" <u>European Journal of Immunology</u> 28:143-152 (1998)

Examiner

/Cherie Woodward/

Date Considered

12/20/2006

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449		U.S. Dept. of Commerce Patent and Trademark Office		Atty Docket No. P1857R1P1	Serial No. 10/771,254
LIST OF DISCLOSURES CITED BY APPLICANT (Use several sheets if necessary)				Applicant Flores et al.	
				Filing Date 03 Feb 2004	Group 1645
OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)					
CMW	50	Jo et al., "Apoptosis induced in normal human hepatocytes by tumor necrosis factor-related apoptosis-inducing ligand" <u>Nature Medicine</u> 6(5):564-567 (2000)			
	51	Johnsen et al., "Regulation of Apo-2 Ligand/TRAIL Expression in NK cells-Involvement in NK Cell-Mediated Cytotoxicity" <u>Cytokine</u> 11:664-672 (1999)			
	52	Johnson et al., "Expression and Structure of the Human NGF Receptor" <u>Cell</u> 47:545-554 (1986)			
	53	Katsikis et al., "Interleukin-1 β Converting Enzyme-like Protease Involvement in Fas-induced and Activation-induced Peripheral Blood T Cell Apoptosis in HIV Infection. TNF-related Apoptosis-inducing Ligand Can Mediate Activation-induced T Cell Death in HIV Infection" <u>Journal of Experimental Medicine</u>			
	54	Keane, et al., "Chemotherapy Augments TRAIL-induced Apoptosis in Breast Cell Lines" <u>Cancer Research</u> 59:734-741 (February 1, 1999)			
	55	Kohn et al., "A Second Tumor Necrosis Factor Receptor Gene Product Can Shed a Naturally Occurring Tumor Necrosis Factor Inhibitor." <u>Proc. Natl. Acad. Sci. USA</u> 87:8331-8335 (1990)			
	56	Lawrence et al., "Differential hepatocyte toxicity of recombinant Apo2L/TRAIL versions" <u>Nature Medicine</u> 7(4):383-385 (April 2001)			
	57	Lewis et al., "Cloning and Expression of cDNAs for Two Distinct Murine Tumor Necrosis Factor Receptors Demonstrate One Receptor is Species Specific." <u>PNAS USA</u> 88:2830-2834 (1991)			
	58	Loetscher et al., "Molecular Cloning and Expression of the Human 55 kd Tumor Necrosis Factor Receptor" <u>Cell</u> 61:351-359 (1990)			
	59	MacFarlane et al., "Identification and Molecular Cloning of Two Novel Receptors for the Cytotoxic Ligand TRAIL" <u>Journal of Biological Chemistry</u> 272(41):25417-25420 (1997)			
	60	Mallet et al., "Characterization of the MRC OX40 Antigen of Activated CD4 Positive T Lymphocytes-- A Molecule Related to Nerve Growth Factor Receptor." <u>EMBO Journal</u> 9(4):1063-1068 (1990)			
	61	Mariani et al., "Interleukin 1 β -converting Enzyme Related Proteases/Caspases Are Involved in TRAIL-induced Apoptosis of Myeloma and Leukemia Cells" <u>Journal of Cell Biology</u> 137:221-229 (1997)			
	62	Marsters et al., "A Novel Receptor for Apo2L/TRAIL Contains a Truncated Death Domain" <u>Current Biology</u> 7:1003-1006 (1997)			
	63	Marsters et al., "Identification of a Ligand for the Death-Domain-Containing Receptor Apo3." <u>Current Biology</u> 8(9):525-528 (1998)			
	64	Miura et al., "Critical Contribution of Tumor Necrosis Factor-related Apoptosis-inducing Ligand (TRAIL) to Apoptosis of Human CD4 T Cells in HIV-1-infected hu-PBL-NOD-SCID Mice" <u>Journal of Experimental Medicine</u> 193:651-660 (2001)			
	65	Mizutani et al., "Synergistic Cytotoxicity and Apoptosis by Apo-2 Ligand and Adriamycin against Bladder Cancer Cells" <u>Clin. Cancer Res.</u> 5:2605-2612 (1999).			
	66	Mongkolsapaya et al., "Cutting Edge: Lymphocyte Inhibitor of TRAIL (TNF-Related Apoptosis-Inducing Ligand): A New Receptor Protecting Lymphocytes From the Death Ligand TRAIL." <u>J. Immunol.</u> 160(1):3-6 (1998)			
	67	Moore et al., "BLyS: Member of the Tumor Necrosis Factor Family and B Lymphocyte Stimulator." <u>Science</u> 285(5425):260-263 (1999)			
	68	Mukhopadhyay et al., "Identification and Characterization of a Novel Cytokine, THANK, a TNF Homologue That Activates Apoptosis, Nuclear Factor- κ B, and c-Jun NH ₂ -Terminal Kinase" <u>J. Bio. Chem.</u> 274:15978-15981 (1999)			
V	69	Nagata, S., "Steering anti-cancer drugs away from the TRAIL" <u>Nature Medicine</u> 6(5):502-503 (May 2000)			
Examiner /Cherie Woodward/				Date Considered 12/20/2006	

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

U.S. Dept. of Commerce
Patent and Trademark OfficeAtty Docket No.
P1857R1P1Serial No.
10/771,254

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant
Flores et al.Filing Date
03 Feb 2004Group
1645

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

CMW	70	Nophar et al., "Soluble Forms of Tumor Necrosis Factor Receptors (TNF-Rs). The cDNA for the Type I TNF-R, Cloned Using Amino Acid Sequence Data of its Soluble Form, Encodes Both the Cell Surface and a Soluble Form of the Receptor." <u>EMBO Journal</u> . 9:3269-3278 (1990)
	71	Pan et al., "An Antagonist Decoy Receptor and a Death-Domain Containing Receptor for TRAIL." <u>Science</u> . 277:815-818 (Aug 1997)
	72	Pan et al., "The Receptor for the Cytotoxic Ligand TRAIL." <u>Science</u> . 276:111-113 (Apr 4, 1997)
	73	Pan et al., "TRUNDD, A New Member of the TRAIL Receptor Family That Antagonizes TRAIL Signalling." <u>FEBS Letters</u> . 424(1-2):41-45 (1998)
	74	Pitti et al., "Genomic Amplification of a Decoy Receptor for Fas Ligand in Lung and Colon Cancer." <u>Nature</u> . 396(6712):699-703 (1998)
	75	Pitti et al., "Induction of Apoptosis by Apo-2 Ligand, a New Member of the Tumor Necrosis Factor Cytokine Family" <u>Journal of Biological Chemistry</u> 271:12687-12690 (1996)
	76	Qin et al., "Avoiding premature apoptosis of normal epidermal cells" <u>Nature Medicine</u> 7(4):385-386 (April 2001)
	77	Radeke et al., "Gene Transfer and Molecular Cloning of the Rat Nerve Growth Factor Receptor." <u>Nature</u> . 325:593-597 (1987)
	78	Rieger et al., "APO2 ligand: a novel lethal weapon against malignant glioma?" <u>FEBS Letters</u> 427:124-128 (1998)
	79	Roth et al., "Locoregional Apo2L/TRAIL Eradicates Intracranial Human Malignant Glioma Xenografts in Athymic Mice in the Absence of Neurotoxicity" <u>Biochem. Biophys. Res. Comm</u> 265:479-483 (1999)
	80	Schall et al., "Molecular Cloning and Expression of a Receptor for Human Tumor Necrosis Factor" <u>Cell</u> 61:361-370 (1990)
	81	Schmid et al., "DNA Fragmentation: Manifestation of Target Cell Destruct. Mediated by Cytotoxic T-cell Lines, Lymphotoxin-Secreting Helper T-cell Clones, and Cell-Free Lymphotoxin-Containing Supernatant." <u>PNAS USA</u> . 83:1881-1885 (1986)
	82	Schneider et al., "BAFF, A Novel Ligand of the Tumor Necrosis Factor Family, Stimulates B Cell Growth" <u>Journal of Experimental Medicine</u> 189:1747-1756 (1999)
	83	Schneider et al., "Characterization of Two Receptors for TRAIL." <u>FEBS Letters</u> . 416:329-334 (1997)
	84	Screaton et al., "TRICK2, A New Alternatively Spliced Receptor that Transduces the Cytotoxic Signal From TRAIL." <u>Current Biology</u> . 7:693-696 (1997)
	85	Sheridan et al., "Control of TRAIL-Induced Apoptosis by a Family of Signaling and Decoy Receptors" <u>Science</u> 277:818-821 (1997)
	86	Shu et al., "TALL-1 is a Novel Member of the TNF Family that is Down-Regulated by Mitogens." <u>J. Leukocyte Biol</u> . 65:680-683 (1999)
	87	Smith et al., "A Receptor for Tumor Necrosis Factor Defines an Unusual Family of Cellular and Viral Proteins" <u>Science</u> 248:1019-1023 (1990)
	88	Smith et al., "T2 Open Reading Frame From the Shope Fibroma Virus Encodes a Soluble Form of the TNF Receptor." <u>Biochem. & Biophys. Res. Comm</u> . 176:335-342 (1991)
✓	89	Song et al., "Tumor Necrosis Factor-related Apoptosis-inducing Ligand (TRAIL) Is an Inhibitor of Autoimmune Inflammation and Cell Cycle Progression" <u>Journal of Experimental Medicine</u> 191(7):1095-1103 (2000)

Examiner /Cherie Woodward/

Date Considered 12/20/2006

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

U.S. Dept. of Commerce
Patent and Trademark Office

Atty Docket No.
P1857R1P1

Serial No.
10/771,254

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant
Flores et al.

Filing Date
03 Feb 2004

Group
1645

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

[illegible]

Examiner /Cherie Woodward/

Date Considered 12/20/2006

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.